

Appl. No. 10/690,738
Amdt. dated September 8, 2005
Reply to Teleconference of September 8, 2005


PATENT

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings of claims in the application:

Listing of Claims:

1 **Claim 1.** (Previously presented) A compound having the formula:



2

3 wherein

4 R^1 , R^2 , R^3 and R^4 are members independently selected from H, substituted or
5 unsubstituted alkyl, substituted or unsubstituted cycloalkyl, substituted or
6 unsubstituted heteroalkyl, substituted or unsubstituted aryl, OR⁸, NO₂, CN
7 and halogen

8 wherein

9 R^8 is a member selected from H, substituted or unsubstituted alkyl,
10 substituted or unsubstituted cycloalkyl and substituted or
11 unsubstituted aryl;

12 R^5 is a member selected from H, substituted or unsubstituted alkyl, substituted or
13 unsubstituted cycloalkyl, substituted or unsubstituted heteroalkyl,
14 substituted or unsubstituted aryl, CN and C(O)R⁹

15 wherein

16 R^9 is a member selected from H, substituted or unsubstituted alkyl,
17 substituted or unsubstituted cycloalkyl, substituted or unsubstituted
18 heteroalkyl, NR¹⁰R¹¹ and OR¹¹

19 wherein

20 R^{10} is a member selected from H, substituted or unsubstituted
21 alkyl, substituted or unsubstituted cycloalkyl and OR¹²

Appl. No. 10/690,738
Amdt. dated September 8, 2005
Reply to Teleconference of September 8, 2005

PATENT

22 wherein
23 R¹² is a member selected from H, substituted or
24 unsubstituted alkyl, substituted or unsubstituted
25 cycloalkyl and substituted or unsubstituted
26 heteroalkyl;
27 R¹¹ is a member selected from H, C(O)R¹³, substituted or
28 unsubstituted alkyl, substituted or unsubstituted cycloalkyl,
29 substituted or unsubstituted heteroalkyl, and substituted or
30 unsubstituted aryl
31 wherein
32 R¹³ is a member selected from H, substituted or
33 unsubstituted alkyl, substituted or unsubstituted
34 cycloalkyl, substituted or unsubstituted heteroalkyl
35 and NR¹⁴R¹⁵
36 wherein
37 R¹⁴ and R¹⁵ are members independently selected
38 from H, substituted or unsubstituted alkyl
39 and substituted or unsubstituted heteroalkyl;
40 R⁶ is a member selected from substituted alkyl, substituted and unsubstituted
41 heteroalkyl, CN, substituted or unsubstituted aryl, and C(O)R¹⁶
42 wherein
43 R¹⁶ is a member selected from substituted or unsubstituted alkyl,
44 substituted or unsubstituted heteroalkyl, substituted or
45 unsubstituted aryl, substituted or unsubstituted heteroaryl, NR¹⁷R¹⁸
46 and OR¹⁷
47 wherein
48 R¹⁷ and R¹⁸ are members independently selected from H,
49 substituted or unsubstituted alkyl, substituted or
50 unsubstituted heteroalkyl and substituted or unsubstituted
51 aryl,

Appl. No. 10/690,738

Amdt. dated September 8, 2005

Reply to Teleconference of September 8, 2005


PATENT

52 R^7 is a member selected from H, substituted or unsubstituted alkyl and substituted
53 or unsubstituted heteroalkyl.

1 **Claim 2.** (Previously presented) The compound according to claim 1, wherein at
2 least one of R^{10} and R^{11} is substituted or unsubstituted C_1 - C_6 alkyl.

1 **Claim 3.** (Previously presented) The compound according to claim 1, wherein R^5 is
2 a member selected from substituted or unsubstituted C_1 - C_6 alkyl, substituted or
3 unsubstituted C_1 - C_6 heteroalkyl, and substituted or unsubstituted C_1 - C_6 cycloalkyl.

1 **Claim 4.** (Previously presented) The compound according to claim 1, having the
2 formula:



1 **Claim 5.** (Cancelled)

1 **Claim 6.** (Previously presented) The compound according to claim 4, wherein R^5 is
2 selected from substituted or unsubstituted C_1 - C_6 alkyl and substituted or unsubstituted
3 C_1 - C_6 cycloalkyl.

1 **Claim 7.** (Previously presented) The compound according to claim 4, wherein R^3 is
2 halogen.

1 **Claim 8.** (Previously presented) A pharmaceutical formulation comprising a
2 compound according to claim 1 and a pharmaceutically acceptable carrier.

1 **Claims 9.- 17.** (Cancelled)

1 **Claim 18.** (Previously presented) The compound according to claim 1, wherein R^6 is
2 a member selected from substituted and unsubstituted ether, substituted and unsubstituted
3 polyether, $-CH_2OH$, and $-CH_2OC(O)CH_3$.